

LISTING OF THE CLAIMS:

The claims of the above-identified patent application are as follows:

1. (Original) A method of reducing or preventing the risk of cutaneous tumor development in skin cells that have not yet been damaged by ultraviolet radiation comprising topical application of at least one composition containing a non-denatured soy product in an amount of from about 0.01 to about 99% by weight in a carrier.
2. (Original) The method of claim 1, wherein said composition is applied at least once daily on a continuous basis.
3. (Original) The method of claim 1, wherein said composition comprises 0.05-80% by weight of said soy product and is applied for at least about four to about ten weeks followed by topical application of a composition comprising 0.01-20% by weight of said soy product on a daily basis thereafter.
4. (Original) The method of claim 1, wherein said composition further comprises a cosmetically acceptable vehicle.
5. (Original) The method of claim 1, wherein said composition further comprises at least one anti-inflammatory agent.
6. (Original) The method of claim 1, wherein said composition further comprises at least one anti-cancer agent.
7. (Original) The method of claim 1, wherein said composition further comprises at least one anti-oxidant.

8. (Original) The method of claim 1, wherein said composition further comprises at least one sunscreen.
9. (Original) The method of claim 1, wherein said composition further comprises from about 1 to about 99% soy bean milk, from about 0.1 to about 20% emulsifier, and a preservative in an effective amount.
10. (Original) The method of claim 9 wherein said composition further comprises an anti-oxidant.
11. (Original) The method of claim 9, wherein said composition further composition further comprises an anti cancer agent.
12. (Original) The method claim 9, wherein said composition further comprises at least one agent selected from the group consisting of anti-oxidants, sunscreens, moisturizers, bleaching agents, depigmentation agents, darkening agents, surfactants, foaming agents, conditioners, humectants, fragrances, anti-aging agents, anti-inflammatory agents, and anti-cancer agents.
13. (Original) The method of claim 1, wherein said composition further comprises from about 0.1 to about 20% soy bean powder or soy milk powder, from about 0.1 to about 20% emulsifier, and a preservative in an effective amount.
14. (Original) The method of claim 13, wherein said composition further comprises an anti-cancer agent.
15. (Original) The method of claim 13, wherein said composition further comprises an anti-oxidant.
16. (Original) The method of claim 13, wherein said composition further comprises at least one compound selected from the group consisting of anti-oxidants, sunscreens, moisturizers,

bleaching agents, depigmentation agents, darkening agents, surfactants, foaming agents, conditioners, humectants, fragrances, anti-aging agents, anti-inflammatory agents, and anti-cancer agents.

17. (Original) A method for preventing and reducing the risk of ultraviolet radiation-induced skin cancer in skin cells that have not been damaged by ultraviolet radiation comprising topical application of at least one composition containing a non-denatured, soy product in an amount of from about 0.01 to about 99% by weight in a carrier.

18. (Original) The method of claim 17, wherein said composition is applied at least once daily on a continuous basis.

19. (Original) The method of claim 17, wherein said soy product composition comprises from about 0.05 to about 80% by weight and is applied for at least about four to about ten weeks followed by topical application of a composition comprising 0.01-20% by weight of said soy product on a daily basis thereafter.

20. (Original) The method of claim 17, wherein said composition further comprises a cosmetically acceptable vehicle.

21. (Original) The method of claim 17, wherein said composition further comprises at least one anti-inflammatory agent.

22. (Original) The method of claim 17, wherein said composition further comprises at least one anti-cancer agent.

23. (Original) The method of claim 17, wherein said composition further comprises at least one anti-oxidant.

24. (Original) The method of claim 17, wherein said composition further comprises at least one sunscreen.
25. (Original) The method of claim 17, wherein said composition further comprises from about 1 to about 99% soy bean milk, from about 0.1 to about 20% emulsifier, and a preservative in an effective amount.
26. (Original) The method of claim 25, wherein said composition further comprises an anti-oxidant.
27. (Original) The method of claim 25, wherein said compositions further comprises an anti-cancer agent.
28. (Original) The method of claim 25, wherein said composition further comprises at least one compound selected from the group consisting of anti-oxidants, sunscreens, moisturizers, bleaching agents, depigmentation agents, darkening agents, surfactants, foaming agents, conditioners, humectants, fragrances, anti-aging agents, anti-inflammatory agents, and anti-cancer agents.
29. (Original) The method of claim 17, wherein said composition further comprises from about 0.1 to about 20% soy bean powder or soy milk powder, from about 0.1 to about 20% emulsifier, and a preservative in an effective amount.
30. (Original) The method of claim 29, wherein said composition further comprises an anti-oxidant.
31. (Original) The method of claim 29, wherein said composition further comprises an anti-cancer agent.

32. (Original) The method of claim 29, wherein said composition further comprises at least one compound selected from the group consisting of anti-oxidants, sunscreens, moisturizers, bleaching agents, depigmentation agents, darkening agents, surfactants, foaming agents, conditioners, humectants, fragrances, anti-aging agents, anti-inflammatory agents, and anti-cancer agents.